

L Number	Hits	Search Text	DB	Time stamp
1	762	333/156	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:51
2	157	333/156 and (phase with shift\$3).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:52
3	12	(333/156 and (phase with shift\$3).ti.) and ((first and second) adj3 (control adj signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:54
4	0	((333/156 and (phase with shift\$3).ti.) and ((first and second) adj3 (control adj signal))) and ((first and second) adj4 insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:55
6	0	((333/156 and (phase with shift\$3).ti.) and ((first and second) adj3 (control adj signal))) and insulat\$3) and cantilever\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:55
5	3	((333/156 and (phase with shift\$3).ti.) and ((first and second) adj3 (control adj signal))) and insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:55
-	52	(constant adj2 lines) adj5 substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:51
-	41569	lines adj5 substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:38
-	45405	(control adj signal) with (change variation deviation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:39
-	1793	((first primary main) adj2 (control adj2 signal)) with (change variation deviation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:42
-	1793	(change variation deviation) with ((first primary main) adj2 (control adj2 signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:43
-	2607	cantilever with lines	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:44

-	58431	(first and second) adj5 insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:45
-	0	((constant adj2 lines) adj5 substrate) and (lines adj5 substrate) and ((control adj signal) with (change variation deviation)) and (((first primary main) adj2 (control adj2 signal)) with (change variation deviation)) and (cantilever with lines) and ((first and second) adj5 insulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:45
-	0	((constant adj2 lines) adj5 substrate) and (lines adj5 substrate) and ((control adj signal) with (change variation deviation)) and (((first primary main) adj2 (control adj2 signal)) with (change variation deviation)) and (cantilever with lines)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:45
-	0	((constant adj2 lines) adj5 substrate) and (lines adj5 substrate) and ((control adj signal) with (change variation deviation)) and (((first primary main) adj2 (control adj2 signal)) with (change variation deviation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:46
-	1	((constant adj2 lines) adj5 substrate) and (lines adj5 substrate) and ((control adj signal) with (change variation deviation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/13 19:46